

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	42	(select\$4 or choos\$4 or calculat\$4) near5 background near3 motion adj3 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 17:01
L2	2	L1 and motion near3 vector\$1 same model-based near3 motion adj1 vector\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 17:01
L3	174	motion near3 vector\$1 same occlu\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 17:02
L4	22	L3 and background near3 motion adj1 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 17:02
L5	21	L4 and (select\$4 or choos\$4 or calculat\$4) near5 motion adj3 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 17:02
L6	13	L5 and (match\$4 or compar\$4) near3 motion adj3 vector\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 17:02
L7	20	motion adj3 vector\$1 same motion near5(model-based or pan-zoom or translation near3 zoom)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 17:05

## EAST Search History

L8	2	L7 and(select\$4 or choos\$4 or calculat\$4) near5 background near3 motion adj3 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 17:05
L9	14	(comput\$3 or calculat\$4 or determin\$4 or obtain\$3) near5 motion adj3 vector\$2 with motion near3 model\$4 same motion adj1 vector near1 field	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 17:06
L10	4	L9 and (match\$4 or compar\$4) near3 motion adj3 vector\$1 same motion near5( model-based or pan-zoom or translation or zoom)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 17:06
L11	31	motion adj2 estimat\$5 near10 motion adj1 vector\$1 same pixel\$1 near5 ( border\$1 or edge\$1 or bound\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 17:07
L12	13	L11 and (match\$4 or compar\$4) near3 motion adj3 vector\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 17:07
L13	2501	detec\$4 near3 occlu\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 17:07
L14	32	L13 and motion adj2 estimat\$5 with motion adj1 vector\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 17:07

## EAST Search History

L15	17	L14 and (match\$4 or compar\$4) near3 motion adj3 vector\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 17:07
L16	174	motion near3 vector\$1 same occlu\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 17:09
L17	121	L16 and (select\$4 or choos\$4 or calculat\$4 or find\$3 or determin\$4 or obtain\$3 or assign\$4 or match\$4) near5 motion adj3 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 17:09
L18	22	L17 and background near3 motion adj1 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 17:09
L19	1	L13 and (compar\$5 or match\$5) near7 motion adj1 vector\$1 near3( set\$1 or local) near7( model\$4 near3 motion adj1 vector\$1 or model-based near3 motion or model adj1 motion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 18:10
L20	9	L13 and background near3 motion adj1 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 18:10
L21	8	L20 and (compar\$5 or match\$5 or best) near7 motion adj1 vector\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 18:10

## EAST Search History

L22	27	L13 and (compar\$5 or match\$5 or best) near7 motion adj1 vector\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 18:11
L23	8	L22 and background near3 motion adj1 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 18:11
L24	3	L13 and (compar\$5 or match\$5 or best) near7 motion near3( set\$2 or local or background near3 motion ) with (model\$4 or estimat\$4) near3( motion or motion adj1 vector\$1 or translation or zoom)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 18:12
L25	17	(compar\$5 or match\$5 or best) near7 background near3 motion with (model\$4 or estimat\$4) near3( motion or motion adj1 vector\$1 or translation or zoom)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 18:12
L26	31	detect\$4 near3 background near3 motion same (model\$4 or estimat\$4) near3( motion or motion adj1 vector\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 18:14
L27	2	"6480615".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 18:36
L28	8431	382/236,232,250,251,253;375/240.16;348/402.1,413.1,416.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 18:47

## EAST Search History

L29	21	L28 and detect\$4 near3 occlu\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 18:47
L30	2	L29 and (estimat\$4 or detect\$4) near3 background near3 motion same (model\$4 or estimat\$4) near3( motion or motion adj1 vector\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 18:47
L31	1	(computing and model and motion and vector and pixel and motion and model and motion and vector and field and image and comparing and motion and vector and motion and vectors and set and motion and vectors and selecting and motion and vector and set and motion and vectors and comparing and assigning and motion and vector and background and motion and vector).clm.	US-PGPUB	AND	OFF	2009/02/01 18:48
L32	11	lodder-roгий.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 18:49
L33	11	lodder-roгий.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 18:49
L34	2	L33 and ( detect\$4 or select\$4 or assign\$4) near3 background near3 motion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 18:49